

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil



## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 8/11/2016 Revision date: 11/2/2017 Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil  
Product code : -

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Lubricant

##### 1.2.2. Uses advised against

Restrictions on use : No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Lucas Oil Products, Inc  
302 North Sheridan Street  
92880-2067 Corona, California - USA  
T (951) 270-0154 - F (951) 270-1902  
[GHewgill@lucasoil.com](mailto:GHewgill@lucasoil.com) - [www.LucasOil.com](http://www.LucasOil.com)

#### 1.4. Emergency telephone number

Emergency number : ChemTel (CN: MIS6309637)  
1-800-255-3924 (USA, Canada, Puerto Rico, US V.I.)  
+1-813-248-0585 (International)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment. P501 - Dispose of contents/container to Collection point
Unknown acute toxicity (CLP: Classification, Labelling, Packaging.) - SDS	: 10% of the mixture consists of ingredient(s) of unknown acute oral toxicity 10% of the mixture consists of ingredient(s) of unknown acute dermal toxicity 10% of the mixture consists of ingredient(s) of unknown acute inhalation (dust/mist) toxicity
Unknown hazards to the aquatic environment (CLP)	: Contains 10 % of components with unknown hazards to the aquatic environment

### 2.3. Other hazards

PBT: not yet assessed

vPvB: not yet assessed

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%)	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	0 - 80	Asp. Tox. 1, H304
1-Decene, homopolymer, hydrogenated	(CAS-No.) 68037-01-4 (EC-No.) 212-819-2 (REACH-no) 01-2119486452-34	0 - 80	Asp. Tox. 1, H304
Mineral oil	(CAS-No.) mixture	0 - 5	Asp. Tox. 1, H304
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8	0 - 2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4	0 - 1	Aquatic Chronic 4, H413
zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	(CAS-No.) 2215-35-2 (EC-No.) 218-679-9	0 - 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phenol, dodecyl-, branched	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3	0 - 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Diphenylamine	(CAS-No.) 122-39-4 (EC-No.) 204-539-4 (EC Index-No.) 612-026-00-5	0 - 0.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. Wash contaminated clothing before reuse.

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : May cause minor eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical. Foam. Water fog.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Burning produces irritating, toxic and noxious fumes.

### 5.3. Advice for firefighters

Firefighting instructions : Cool adjacent structures and containers with water spray to protect and prevent ignition. Do not allow run-off from fire fighting to enter drains or water courses.

Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all eye and skin contact and do not breathe vapour and mist. Use personal protective equipment as required.

#### 6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Refer to section 8.2.

Emergency procedures : Ventilate area. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container.

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store locked up.

Incompatible products : Strong acids. Strong bases. Strong oxidizers.

Prohibitions on mixed storage : Incompatible materials.

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Diphenylamine (122-39-4)		
Austria	MAK (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (einatembare Fraktion), (H)
Austria	MAK (ppm)	0.7 ppm (einatembare Fraktion), (H)
Austria	MAK Short time value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (einatembare Fraktion) max. 4x15 min./Schicht, (H)
Austria	MAK Short time value (ppm)	1.4 ppm (einatembare Fraktion) max. 4x15 min./Schicht, (H)
Belgium	Limit value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Czech Republic	Local name	Difenylamin
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Czech Republic	Remark (CZ)	D, P
Denmark	Local name	Diphenylamin
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Finland	Local name	Difenyliamiini
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min)	10 mg/m <sup>3</sup>
France	Local name	Diphénylamine
France	VME (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
France	Note (FR)	Valeurs recommandées/admises
Germany	Local name	Diphenylamin
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> E (mg/m <sup>3</sup> )
Germany	Remark (TRGS 900)	DFG,Y,H
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Lithuania	IPRV (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup>
Lithuania	TPRV (mg/m <sup>3</sup> )	12 mg/m <sup>3</sup>
Portugal	Local name	Difenilamina
Portugal	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Slovenia	Local name	difenilamin
Slovenia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Spain	Local name	Difenilamina
Spain	VLA-ED (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Spain	Notes	s
Sweden	Local name	Difenylamin
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	12 mg/m <sup>3</sup>

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>Diphenylamine (122-39-4)</b>		
Sweden	Anmärkning (SE)	V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Norway	Local name	Difenylamin
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Switzerland	VME (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Switzerland	Remark (CH)	(inhalable aerosol)

### 8.2. Exposure controls

Appropriate engineering controls : Avoid splashing. Ensure good ventilation of the work station.

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection:

Wear suitable gloves. nitrile rubber gloves

Eye protection:

Chemical goggles or safety glasses. Eyewash bottle with clean water

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Approved respirator

Environmental exposure controls : Prevent contaminated water run-off. Prevent leakage or spillage.

Other information : Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: amber.
Odour	: petroleum.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >= 237.8 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.89
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: >= 229 cSt @ 40 °C

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Hydrocarbon.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)</b>	
LD50 oral rat	3100 mg/kg
LD50 dermal rat	> 2002 mg/kg
LC50 inhalation rat (mg/l)	> 2.3 mg/l/4h
<b>Distillates (petroleum), hydrotreated heavy paraffinic (DMSO &lt; 3%) (64742-54-7)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5.53 mg/l/4h
<b>bis(nonylphenyl)amine (36878-20-3)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
<b>zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) (2215-35-2)</b>	
LD50 oral rat	2000 - 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
<b>1-Decene, homopolymer, hydrogenated (68037-01-4)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5.2 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified (Component. Not irritating to rabbits on ocular application)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

**Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil**

Viscosity, kinematic	>= 229 mm <sup>2</sup> /s @ 40 °C
----------------------	-----------------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

#### Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

LC50 fish 1	4.5 mg/l
EC50 Daphnia 1	23 mg/l
ErC50 (algae)	21 mg/l
NOEC (acute)	1.8 mg/l
NOEC chronic crustacea	0.8 mg/l

#### Diphenylamine (122-39-4)

LC50 fish 1	4.14 ppm
EC50 Daphnia 1	2.46 mg/l
EC50 other aquatic organisms 1	0.36 mg/l

#### Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)

EC50 Daphnia 1	> 10000 mg/l
----------------	--------------

#### bis(nonylphenyl)amine (36878-20-3)

LC50 fish 1	> 100 mg/l
-------------	------------

#### 1-Decene, homopolymer, hydrogenated (68037-01-4)

LC50 fish 1	> 750 mg/l
EC50 Daphnia 1	190 mg/l
NOEC (acute)	1000 mg/l

### 12.2. Persistence and degradability

**Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil**

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---------------------------------------------------------

#### Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

Biodegradation	1.5 % 28 days
----------------	---------------

#### Diphenylamine (122-39-4)

Persistence and degradability	Not established.
-------------------------------	------------------

#### 1-Decene, homopolymer, hydrogenated (68037-01-4)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 12.3. Bioaccumulative potential

Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

Bioaccumulative potential Not established.

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts (84605-29-8)

Log Kow 0.56

Diphenylamine (122-39-4)

Bioaccumulative potential Not established.

1-Decene, homopolymer, hydrogenated (68037-01-4)

Bioaccumulative potential Not expected to bioaccumulate.

### 12.4. Mobility in soil

Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

Ecology - soil No additional information available.

### 12.5. Results of PBT and vPvB assessment

Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

PBT: not yet assessed

vPvB: not yet assessed

Component

Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7) This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

Additional information : No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : Not regulated.

UN-No. (IMDG) : Not regulated.

UN-No. (IATA) : Not regulated.

UN-No. (ADN) : Not regulated.

UN-No. (RID) : Not regulated.

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated.

Proper Shipping Name (IMDG) : Not regulated.

Proper Shipping Name (IATA) : Not regulated.

Proper Shipping Name (ADN) : Not regulated.



# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Proper Shipping Name (RID) : Not regulated.

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not regulated.

#### IMDG

Transport hazard class(es) (IMDG) : Not regulated.

#### IATA

Transport hazard class(es) (IATA) : Not regulated.

#### ADN

Transport hazard class(es) (ADN) : Not regulated.

#### RID

Transport hazard class(es) (RID) : Not regulated.

### 14.4. Packing group

Packing group (ADR) : Not regulated.

Packing group (IMDG) : Not regulated.

Packing group (IATA) : Not regulated.

Packing group (ADN) : Not regulated.

Packing group (RID) : Not regulated.

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Not regulated.

#### - Transport by sea

Not regulated.

#### - Air transport

Not regulated.

#### - Inland waterway transport

Not regulated.

#### - Rail transport

Not regulated.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

### 15.1.2. National regulations

#### Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts ,Phenol, dodecyl-,branched,Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%),Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) are listed

SZW-lijst van mutagene stoffen : Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts ,Phenol, dodecyl-,branched,Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%),Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Phenol, dodecyl-,branched is listed

#### Denmark

Recommendations Danish Regulation : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes:

Added. Product.

Abbreviations and acronyms:

	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	European List of Waste (LoW) code
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	PBT: Persistent, Bioaccumulative, Toxic
	TWA: Time Weighted Average
vPvB	Very Persistent and Very Bioaccumulative

# Lucas Synthetic SAE 20W-50 Synthetic Motor Oil, SAE 50 Motorcycle Oil, SAE 70 Motorcycle Oil, Lucas Synthetic SAE 5W-30 European Oil, Lucas Synthetic SAE 10W-60 Motor Oil, Lucas Semi-Synthetic SAE 15W-40 European Motor Oil, Lucas Synthetic SAE 0W-30, Lucas Synthetic SAE 10W-30 European Oil, SAE 20W-50 Motorcycle, Synthetic 20W-50 Motorcycle, Semi Synthetic 10W-40 MC, Synthetic 10W-50 Motorcycle Oil

## Safety Data Sheet

according to Regulation (EU) 2015/830

Data sources : European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. United Nations Economic Commission for Europe: About the GHS. Accessed at [http://www.unece.org/trans/danger/publi/ghs/ghs\\_welcome\\_e.html](http://www.unece.org/trans/danger/publi/ghs/ghs_welcome_e.html).

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Aquatic Chronic 3	H412	Calculation method
-------------------	------	--------------------

**SDS prepared by:** The Redstone Group, LLC.  
6077 Frantz Rd.  
Suite 206  
Dublin, Ohio, USA 43016  
614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*