

Date Version

: 15/11/2014

: 1

SAFETY DATA SHEET

Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: Lucas Synthetic SAE 50 V-Twin Motorcycle Oil
Product number	: 10765
Product description	: Not available.
Product type	: Liquid.
Other means of identification	: Not available.
Only representative	: H2 Compliance. Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland. T: +353 21 4868120, Web page: www.h2compliance.com

1.2 Relevant identified uses of the substance or mixture and uses advised against Engine oil.

1.3 Details of the supplier of the safety data sheet

Supplier's details	: Lucas Oil Products, Inc 302 North Sheridan Street
	Corona, California 92880-2067
	Toll Free: (800) 342-2512
	Tel: (951) 270-0154
	Fax: (951) 270-1902
	Website: www.LucasOil.com

e-mail address of person	: Markn@lucasoil.com
responsible for this SDS	_

1.4 Emergency telephone number

Telephone number	: (951) 493-1149
	(951) 847-5949
Hours of operation	: 7:00A.M. to 5:00P.M. Monday thru Friday



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Asp. Tox. 1, H304

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended. Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word	Danger	
Hazard statements	May be f	atal if swallowed and enters airways.
Precautionary statements		
General	P102 - K	ead label before use. eep out of reach of children. medical advice is needed, have product container or label at hand.
Prevention	Not appli	cable.
Response		2310 + P331 - IF SWALLOWED: Immediately call a POISON CENTRE or n. Do NOT induce vomiting.
Storage	P405 - S	tore locked up.
Disposal		ispose of contents and container in accordance with all local, regional, and international regulations.
Risk phrases	This proc	duct is not classified according to EU legislation.
Safety phrases	Not appli	cable.
Supplemental label elements	Not appli	cable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not appli	cable.
Special packaging requirem	<u>:s</u>	
Containers to be fitted with child-resistant fastenings	Not appli	cable.
Tactile warning of danger	Not appli	cable.

2.3 Other hazards



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 2: Hazards identification

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

			Classification		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	EC: 500-183-1 CAS: 68037-01-4	>=15 - <20	Not classified.	Asp. Tox. 1, H304	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

See Section 16 for the full text of the R-phrases declared above.

See Section 16 for the full text of the H statements declared above.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health	<u>n effects</u>	
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/	/symptoms	
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 4: First aid measures

Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
4.3 Indication of any immediate medical attention and special treatment needed		

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising fi	rom	the substance or mixture
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.	
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	

6.3 Methods and material for containment and cleaning up



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 6: Accidental release measures

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

- : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

- **Recommendations**
- : Not available.

Industrial sector specific solutions

: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.





Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 8: Exposure controls/personal protection

Recommended monitoring procedures		If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
DNELs/DMELs No DNELs/DMELs available.		
PNECs		
No PNECs available		
8.2 Exposure controls		
Appropriate engineering controls	-	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measur	es	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance Physical state : Liquid. [Clear.] Colour : Light brown. Odour : Petroleum. Odour threshold : Not available. pH : Not available. Melting point/freezing point : Not available. Initial boiling point and boiling range : >260°C Flash point : Closed cup: 232.22°C Evaporation rate : Not available. Flammability (solid, gas) : Not available. Upper/lower flammability or explosive limits : Not available. Vapour pressure : Not available. Vapour density : 0.864 Solubility(ies) : Net available. vater : Not available. Auto-ignition temperature : Not available. Viscosity : Not available. Viscosity : Kinematic (100°C (212°F)): 0.18 cm²/s (18 cS Explosive properties : Not available. Oxidising properties : Not available.	,	-			
Physical state:Liquid. [Clear.]Colour:Light brown.Odour threshold:Petroleum.Odour threshold:Not available.pH:Not available.Melting point/freezing point:Not available.Initial boiling point and boiling:>260°Crange:Closed cup: 232.22°CEvaporation rate:Not available.Flash point:Closed cup: 232.22°CEvaporation rate:Not available.Flammability (solid, gas):Not available.Upper/lower flammability or explosive limits:Not available.Vapour pressure:Not available.Vapour density:Not available.Relative density:Not available.Solubility(ies):Net available.Partition coefficient: n-octanol/ water:Not available.Auto-ignition temperature Decomposition temperature:Not available.Viscosity:Kinematic (100°C (212°F)): 0.18 cm²/s (18 cSExplosive properties:Not available.	9.1 Information on basic physical and chemical properties				
Colour: Light brown.Odour: Petroleum.Odour threshold: Not available.pH: Not available.Melting point/freezing point: Not available.Initial boiling point and boiling: >260°Crange: Closed cup: 232.22°CEvaporation rate: Not available.Flash point: Closed cup: 232.22°CEvaporation rate: Not available.Flammability (solid, gas): Not available.Upper/lower flammability or: Not available.explosive limits: Not available.Vapour pressure: Not available.Vapour density: 0.864Solubility(ies): Not available.Partition coefficient: n-octanol/: Not available.water: Not available.Auto-ignition temperature: Not available.Viscosity: Kinematic (100°C (212°F)): 0.18 cm²/s (18 cSExplosive properties: Not available.	<u>Appearance</u>				
Odour:Petroleum.Odour threshold:Not available.pH:Not available.Melting point/freezing point:Not available.Initial boiling point and boiling range:>260°CFlash point:Closed cup: 232.22°CEvaporation rate:Not available.Flammability (solid, gas):Not available.Upper/lower flammability or explosive limits:Not available.Vapour pressure:Not available.Vapour density:Not available.Relative density:0.864Solubility(ies):Net available.Partition coefficient: n-octanol/ water:Not available.Auto-ignition temperature:Not available.Viscosity::Not available.Viscosity::Not available.Explosive properties:Not available.	Physical state	1	Liquid. [Clear.]		
Odour threshold:Not available.pH:Not available.Melting point/freezing point:Not available.Initial boiling point and boiling range:>260°CFlash point:Closed cup: 232.22°CEvaporation rate:Not available.Flammability (solid, gas):Not available.Upper/lower flammability or explosive limits:Not available.Vapour pressure:Not available.Vapour density:Not available.Relative density:0.864Solubility(ies):Negligible at 25°CPartition coefficient: n-octanol/ water:Not available.Auto-ignition temperature:Not available.Viscosity:Kinematic (100°C (212°F)): 0.18 cm²/s (18 cSExplosive properties:Not available.	Colour	1	Light brown.		
pH:Not available.Melting point/freezing point:Not available.Initial boiling point and boiling range:>260°CFlash point:Closed cup: 232.22°CEvaporation rate:Not available.Flammability (solid, gas):Not available.Upper/lower flammability or explosive limits:Not available.Vapour pressure:Not available.Vapour density:Not available.Relative density:0.864Solubility(ies):Not available.Partition coefficient: n-octanol/ water:Not available.Auto-ignition temperature:Not available.Viscosity::Not available.Viscosity::Not available.Viscosity:Not available.Viscosity:Not available.Viscosity::Not available.Viscosity::Not available.Explosive properties:Not available.	Odour	:	Petroleum.		
Melting point/freezing point: Not available.Initial boiling point and boiling range: >260°CFlash point: Closed cup: 232.22°CEvaporation rate: Not available.Flammability (solid, gas): Not available.Upper/lower flammability or explosive limits: Not available.Vapour pressure: Not available.Vapour density: Not available.Relative density: 0.864Solubility(ies): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not available.Viscosity: Not available.Explosive properties: Not available.	Odour threshold	:	Not available.		
Initial boiling point and boiling range: >260°CFlash point: Closed cup: 232.22°CEvaporation rate: Not available.Flammability (solid, gas): Not available.Upper/lower flammability or explosive limits: Not available.Vapour pressure: Not available.Vapour density: Not available.Relative density: 0.864Solubility(ies): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not available.Viscosity: Not available.Viscosity: Kinematic (100°C (212°F)): 0.18 cm²/s (18 cSExplosive properties: Not available.	рН	:	Not available.		
rangeFlash point: Closed cup: 232.22°CEvaporation rate: Not available.Flammability (solid, gas): Not available.Upper/lower flammability or explosive limits: Not available.Vapour pressure: Not available.Vapour pressure: Not available.Vapour density: 0.864Solubility(ies): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not available.Viscosity: Not available.Viscosity: Not available.Explosive properties: Not available.	Melting point/freezing point	:	Not available.		
Evaporation rate: Not available.Flammability (solid, gas): Not available.Upper/lower flammability or explosive limits: Not available.Vapour pressure: Not available.Vapour density: Not available.Relative density: 0.864Solubility(ies): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Not available.Explosive properties: Not available.	•••	:	>260°C		
Flammability (solid, gas): Not available.Upper/lower flammability or explosive limits: Not available.Vapour pressure: Not available.Vapour density: Not available.Relative density: 0.864Solubility(ies): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Not available.Explosive properties: Not available.	Flash point	:	Closed cup: 232.22°C		
Upper/lower flammability or explosive limits: Not available.Vapour pressure (Vapour density): Not available.Vapour density (Relative density): Not available.Relative density (Solubility(ies)): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature Decomposition temperature: Not available.Viscosity (Explosive properties): Kinematic (100°C (212°F)): 0.18 cm²/s (18 cS)	Evaporation rate	:	Not available.		
explosive limitsVapour pressure: Not available.Vapour density: Not available.Relative density: 0.864Solubility(ies): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C (212°F)): 0.18 cm²/s (18 cSExplosive properties: Not available.	Flammability (solid, gas)	:	Not available.		
Vapour density: Not available.Relative density: 0.864Solubility(ies): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C (212°F)): 0.18 cm²/s (18 csExplosive properties: Not available.		:	Not available.		
Relative density : 0.864 Solubility(ies) : Negligible at 25°C Partition coefficient: n-octanol/ water : Not available. Auto-ignition temperature : Not available. Decomposition temperature : Not available. Viscosity : Kinematic (100°C (212°F)): 0.18 cm²/s (18 cs²) Explosive properties : Not available.	Vapour pressure	:	Not available.		
Solubility(ies): Negligible at 25°CPartition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C (212°F)): 0.18 cm²/s (18 csExplosive properties: Not available.	Vapour density	:	Not available.		
Partition coefficient: n-octanol/ : Not available. water . Auto-ignition temperature : Decomposition temperature : Viscosity : Explosive properties : Not available.	Relative density	:	0.864		
waterAuto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Kinematic (100°C (212°F)): 0.18 cm²/s (18 cs²)Explosive properties: Not available.	Solubility(ies)	:	Negligible at 25°C		
Decomposition temperature: Not available.Viscosity: Kinematic (100°C (212°F)): 0.18 cm²/s (18 csExplosive properties: Not available.		:	Not available.		
Viscosity: Kinematic (100°C (212°F)): 0.18 cm²/s (18 csExplosive properties: Not available.					
Explosive properties : Not available.					
	•				
Oxidising properties : Not available.					
	Oxidising properties	÷	Not available.		

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizers
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
KMK Regulatory Services	Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) 7/12 www.kmkregservices.com www.askdrluc.com www.ghssmart.com 7/12



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 11: Toxicological information		
11.1 Information on toxicolo	gical effects	
Acute toxicity		
There is no data available.		
Irritation/Corrosion		
There is no data available.		
<u>Sensitisation</u>		
There is no data available.		
Carcinogenicity		
There is no data available.		
Specific target organ toxici	ty (single exposure)	
There is no data available.		
Specific target organ toxici	ty (repeated exposure)	
There is no data available.		
Aspiration hazard		
There is no data available.		
Information on the likely routes of exposure	: Dermal contact. Eye contact. Inhalation. Ingestion.	
Potential acute health effects	<u>S</u>	
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Symptoms related to the phy	vsical, chemical and toxicological characteristics	
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Delayed and immediate offer		
Short term exposure	cts and also chronic effects from short and long term exposure	
	No known aignificant offects or critical bezords	
Potential immediate effects	: No known significant effects or critical hazards.	
Potential delayed effects	: No known significant effects or critical hazards.	
Long term exposure	C C C C C C C C C C C C C C C C C C C	
Potential immediate	: No known significant effects or critical hazards.	
effects		
Potential delayed effects	: No known significant effects or critical hazards.	
Potential chronic health eff		
General	: No known significant effects or critical hazards.	
Carcinogenicity	: No known significant effects or critical hazards.	
Mutagenicity	: No known significant effects or critical hazards.	
Teratogenicity	: No known significant effects or critical hazards.	
	Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767)	

Kĸ

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 11: Toxicological information

Developmental effects Fertility effects

: No known significant effects or critical hazards.

: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

There is no data available.

12.2 Persistence and degradability

There is no data available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	>6.5	-	high

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: There is no data available.
Mobility	: Not available.

12.5 Results of PBT ar	nd vPvB assessment
PBT	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

KMK Regulatory Services

<u>Product</u>		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed untreated to the sewer unless fully compliant with the requirements of all authoritie with jurisdiction.	
Hazardous waste	 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC. 	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Was packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	te
KMK Regulatory Services	Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) 9. www.kmkregservices.com www.askdrluc.com www.ghssmart.com 9.	/12



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 13: Disposal considerations

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

: Not available.

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 15: Regulatory information

Europe inventory	: All components are listed or exempted.
Seveso II Directive	
This product is not contro	olled under the Seveso II Directive.
International lists	
National inventory	
Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Japan	: Not determined.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: Not determined.
United States	: All components are listed or exempted.
15.2 Chemical Safety Assessment	: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Asp. Tox. 1, H304

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification			Justification	
Asp. Tox. 1, H304			Calculation method	
Full text of abbreviated H statements	:	H304	May be fatal if swallowed and enters airways.	
Full text of classifications [CLP/GHS]	:	Asp. Tox. 1, H304	ASPIRATION HAZARD - Category 1	
Full text of abbreviated R phrases	:	Not applicable.		
History				
Date of issue (dd/mm/yyyy)	:	15/11/2014		
Version	1	1		
Revised Section(s)	:	Not applicable.		



Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Synthetic SAE 50 V-Twin Motorcycle Oil

SECTION 16: Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.