

Date : Version :

: 15/01/2015

: 2

SAFETY DATA SHEET

Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : Lucas Hot Rod & Classic Car Oil SAE 20W-50

REACH Registration number

Registration number	Legal entity
64742-54-7-01-2119484627-25-0059	

Product number	:
Product description Product type	Not available.Liquid.
Other means of identification	: Not available.
Only representative	: H2 Compliance. Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland. T: +353 21 4868120, Web page: www.h2compliance.com

1.2 Relevant identified uses of the substance or mixture and uses advised against

Engine oil.

1.3 Details of the supplier of the safety data sheet

Supplier's details	: Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902 Website: www.LucasOil.com
e-mail address of person	: Markn@lucasoil.com

e-mail address of person : Markn@lucasoil.con responsible for this SDS

1.4 Emergency telephone number

Telephone number	: (951) 493-1149 (951) 847-5949
Hours of operation	: 7:00A.M. to 5:00P.M. Monday thru Friday

Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 2: Hazards identification

2.1 Classification of the subs	star	nce or mixture
Product definition	1	Mixture
Classification according to	Re	gulation (EC) No. 1272/2008 [CLP/GHS]
Not classified.		
The product is not classified a	as h	nazardous according to Regulation (EC) 1272/2008 as amended.
Classification according to	Dir	ective 1999/45/EC [DPD]
The product is not classified	l as	dangerous according to Directive 1999/45/EC and its amendments.
Classification	:	Not classified.
See Section 16 for the full tex	ct of	the R phrases or H statements declared above.
See Section 11 for more deta	iled	I information on health effects and symptoms.
2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	1	P103 - Read label before use.
		P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention		Not applicable.
		Not applicable.
Response	1	Not applicable.
Storage	1	Not applicable.
Disposal Biok phrases	1	
Risk phrases Safety phrases	1	This product is not classified according to EU legislation. Not applicable.
	1	
Supplemental label elements		Not applicable.
Annex XVII - Restrictions		Not applicable.
on the manufacture,	1	Not applicable.
placing on the market and		
use of certain dangerous		
substances, mixtures and articles		
Special packaging requiren		to
Containers to be fitted		Not applicable.
with child-resistant	1	Not applicable.
fastenings		
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Other hazards which do	:	None known.
not result in classification		



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
			Clas	ssification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Phosphorodithioic acid, O,O- di-C1-14-alkyl esters, zinc salts	EC: 272-028-3 CAS: 68649-42-3	>=1 - <2.5	Xi; R41, R38 N; R51/53	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

See Section 16 for the full text of the R-phrases declared above.

See Section 16 for the full text of the H statements declared above.

SECTION 4: First aid measures

4.1 Description of first aid measures

an Booonption of mot and n	
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/	symptoms
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 4: First aid measures

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician
- Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments
- : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising f	ron	the substance or mixture
Hazards from the substance or mixture	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	No specific data.
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	No special precaution is required.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	;	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry

licensed waste disposal contractor.

material and place in an appropriate waste disposal container. Dispose of via a



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 6: Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 8: Exposure controls/personal protection

of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measured	<u>res</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 9: Physical and chemical properties

9.1 Information on basic physical	a	nd chemical properties
Appearance		
Physical state	:	Liquid. [Clear.]
Colour	:	Light brown.
Odour	;	Petroleum.
Odour threshold	:	Not available.
рН	;	Not available.
Melting point/freezing point	;	Not available.
Initial boiling point and boiling range	:	>260°C
Flash point	:	Closed cup: 237.77°C
Evaporation rate	:	Not available.
Flammability (solid, gas)	;	Not available.
Upper/lower flammability or explosive limits	:	Not available.
Vapour pressure	:	Not available.
Vapour density	:	Not available.
Relative density	:	0.867
Solubility(ies)	:	Not available.
Solubility in water	:	Negligible at 25°C
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Kinematic (100°C (212°F)): 0.191 cm ² /s (19.1 cSt)
Explosive properties	:	Not available.
Oxidising properties	:	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: The product is stable.		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.		
10.4 Conditions to avoid	: No specific data.		
10.5 Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizers.		

Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 10: Stability and reactivity

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

There is no data available.

Irritation/Corrosion

Dreduct/ingredient serve	Peoult	Species	Coore	Evenenure	Observetion
Product/ingredient name	Result	Species	Score	Exposure	Observation
Phosphorodithioic acid, O,O-di- C1-14-alkyl esters, zinc salts	Eyes - Irritant	Rabbit	-	-	-
Sensitisation					
There is no data available.					
Carcinogenicity					
There is no data available.					
Specific target organ toxici	<u>ty (single exposure)</u>				
There is no data available.					
Specific target organ toxici	<u>ty (repeated exposure)</u>				
There is no data available.					
Aspiration hazard					
There is no data available.					
Information on the likely	: Dermal contact. Eye contact	t. Inhalation. Ing	estion.		
routes of exposure					
Potential acute health effects					
Eye contact	: No known significant effects				
Inhalation	: No known significant effects				
Skin contact	: No known significant effects				
Ingestion	: No known significant effects	s or critical hazar	ds.		
Symptoms related to the phy	vsical, chemical and toxicolog	ical characteris	<u>tics</u>		
Eye contact	: No known significant effects	s or critical hazar	ds.		
Inhalation	: No known significant effects	s or critical hazar	ds.		
Skin contact	: No known significant effects	s or critical hazar	ds.		
Ingestion	: No known significant effects	s or critical hazar	ds.		
Delayed and immediate effect	ts and also chronic effects fro	om short and lo	ng term e	<u>exposure</u>	
Short term exposure					
Potential immediate effects	: No known significant effects	s or critical hazar	ds.		
Potential delayed effects	: No known significant effects	s or critical hazar	ds.		
Long term exposure					
Potential immediate effects	: No known significant effects	s or critical hazar	ds.		

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 11: Toxicological information

Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health effe	ects
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Phosphorodithioic acid, O,O-di- C1-14-alkyl esters, zinc salts	Acute EC50 1 to 5 mg/L	Algae	96 hours
	···· · · · · · · · · · · · · · · · · ·		48 hours 96 hours

12.2 Persistence and degradability

There is no data available.

12.3 Bioaccumulative potential

There is no data available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: There is no data available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

PBT	: Not applicable.
	· · · · · · · · · · · · · · · · · · ·

- : Not applicable.
- 12.6 Other adverse effects
- : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

vPvB



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 13: Disposal considerations

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

user

14.6 Special precautions for : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.



Lucas Hot Rod & Classic Car Oil SAE 20W-50

• •	ivironmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No.	
	stances subject to authorisation
Annex XIV	
None of the component	
Substances of very hi	· · · · · · · · · · · · · · · · · · ·
None of the component	
Annex XVII - Restriction on the manufacture, placing on the market and use of certain dangerous substances mixtures and articles	
Other EU regulations	
Europe inventory	: All components are listed or exempted.
Seveso II Directive	
This product is not contro	olled under the Seveso II Directive.
International lists	
National inventory	
Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Japan	: Not determined.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: Not determined.
United States	: All components are listed or exempted.
15.2 Chemical Safety Assessment	: This product contains substances for which Chemical Safety Assessments are stil required.

SECTION 16: Other information

Abbreviations and acronyms : ATE = A	Acute Toxicity Estimate	
CLP = 0 1272/20	Classification, Labelling and Packaging Regulation [Regulation (EC) No.	
	Derived Minimal Effect Level	
	Derived No Effect Level	
EUH sta	atement = CLP-specific Hazard statement	
PBT = F	Persistent, Bioaccumulative and Toxic	
PNEC =	Predicted No Effect Concentration	
RRN = I	REACH Registration Number	
vPvB =	Very Persistent and Very Bioaccumulative	
Classification according to Regulation (EC) No. 1272/2008 ICL P/GHS1		

<u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Hot Rod & Classic Car Oil SAE 20W-50

SECTION 16: Other information

Classification Not classified.		ion	Justification
Full text of abbreviated H statements		H315 H318 H411	Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Full text of classifications [CLP/GHS]		Aquatic Chronic 2, H411 Eye Dam. 1, H318 Skin Irrit. 2, H315	LONG-TERM AQUATIC HAZARD - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SKIN CORROSION/IRRITATION - Category 2
Full text of abbreviated R phrases	:	R41- Risk of serious damage to eyes. R38- Irritating to skin. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
History			
Date of issue (dd/mm/yyyy)	:	15/01/2015	
Date of previous issue	:	15/07/2014	
Version	:	2	
Notice to reader			

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.