

Date Version : 15/07/2014

: 1

# **SAFETY DATA SHEET**

Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier			
Product name	: Lucas Synthetic SAE 75W-140 V-Twin Gear Oil		
REACH Registration numb	<u>per</u>		
Registration nur	mber Legal entity		
64742-54-7-01-211948462	7-25-0059		
Product code	: 10791		
Product description	: Not available.		
Product type	: Liquid.		
Other means of identification	: Not available.		
Only representative	: H2 Compliance. Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland. T: +353 21 4868120, Web page: www.h2compliance.com		
Engine oil.	s of the substance or mixture and uses advised against		
Engine oil. 1.3 Details of the supplier o	of the safety data sheet		
Engine oil.			
Engine oil. 1.3 Details of the supplier o	of the safety data sheet Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902		
Engine oil. 1.3 Details of the supplier o Supplier's details e-mail address of person responsible for this SDS	<ul> <li>If the safety data sheet</li> <li>Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902 Website: www.LucasOil.com</li> <li>Markn@lucasoil.com</li> </ul>		
Engine oil. 1.3 Details of the supplier o Supplier's details e-mail address of person responsible for this SDS 1.4 Emergency telephone n	<ul> <li>If the safety data sheet</li> <li>Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902 Website: www.LucasOil.com</li> <li>Markn@lucasoil.com</li> </ul>		
Engine oil. 1.3 Details of the supplier o Supplier's details e-mail address of person	<ul> <li>If the safety data sheet</li> <li>Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902 Website: www.LucasOil.com</li> <li>Markn@lucasoil.com</li> </ul>		



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

0				
SECTION 2: Hazards identification				
2.1 Classification of the subs	star	ice or mixture		
Product definition	Product definition : Mixture			
Classification according to	Re	gulation (EC) No. 1272/2008 [CLP/GHS]		
Not classified.				
Classification according to	Dir	<u>ective 1999/45/EC [DPD]</u>		
The product is not classified	as	dangerous according to Directive 1999/45/EC and its amendments.		
Classification	1	Not classified.		
See Section 16 for the full tex	d of	the R phrases or H statements declared above.		
See Section 11 for more deta	ailed	l information on health effects and symptoms.		
2.2 Label elements				
Signal word	:	No signal word.		
Hazard statements	1	No known significant effects or critical hazards.		
Precautionary statements				
General	:	P103 - Read label before use. P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.		
Prevention	:	Not applicable.		
Response	:	Not applicable.		
Storage	:	Not applicable.		
Disposal	:	Not applicable.		
Risk phrases	:	This product is not classified according to EU legislation.		
Safety phrases	:	Not applicable.		
Supplemental label elements	-	Not applicable.		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.		
Special packaging requiren	nen	<u>ts</u>		
Containers to be fitted with child-resistant fastenings	:	Not applicable.		
Tactile warning of danger	:	Not applicable.		
2.3 Other hazards				
Other hazards which do not result in classification	:	None known.		



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

## **SECTION 3: Composition/information on ingredients**

#### **3.2 Mixtures**

: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

### **SECTION 4: First aid measures**

4.1 Description of first aid m	easures		
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.		
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.		
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.		
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

#### 4.2 Most important symptoms and effects, both acute and delayed

Potential acute he	ealth effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure si</u>	gns/symptoms
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	-	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.

#### 5.2 Special hazards arising from the substance or mixture



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

SECTION 5: Firefighting measures		
Hazards from the substance or mixture	: No specific fire or explosion hazard.	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: No special precaution is required.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.			
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.	or		
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmenta pollution (sewers, waterways, soil or air).	al I		
6.3 Methods and materials for	containment and cleaning up			
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and more up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	ρ		
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.			
6.4 Reference to other sections	<ul> <li>See Section 1 for emergency contact information.</li> <li>See Section 8 for information on appropriate personal protective equipment.</li> <li>See Section 13 for additional waste treatment information.</li> </ul>			



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

No exposure limit value known.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

No DNELs/DMELs available.

#### **PNECs**

No PNECs available



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

## **SECTION 8: Exposure controls/personal protection**

8.2 Exposure controls			
Appropriate engineering controls	:	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Individual protection meas	ures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields	
Skin protection			
Hand protection	:	: Chemical-resistant, impervious gloves complying with an approved standard sho be worn at all times when handling chemical products if a risk assessment indica this is necessary.	
Body protection	:	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	:	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.	
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physica	l ar	nd chemical properties
<u>Appearance</u>		
Physical state	1	Liquid. [Clear.]
Colour	1	Light brown.
Odour	1	Petroleum.
Odour threshold	1	Not available.
рН	1	Not available.
Melting point/freezing point	1	Not available.
Initial boiling point and boiling range	:	>260°C
Flash point	:	Closed cup: 232.22°C
Evaporation rate	:	Not available.
Flammability (solid, gas)	1	Not available.
Upper/lower flammability or explosive limits	:	Not available.



Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

## **SECTION 9: Physical and chemical properties**

Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	0.844	
Solubility(ies)	Negligible at 25°C	
Partition coefficient: n-octanol/ water	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Kinematic (100°C (212°F))	): 0.26 cm²/s
Explosive properties	Not available.	
Oxidising properties	Not available.	

#### 9.2 Other information

No additional information.

SECTION 10: Stability and reactivity		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	: The product is stable.	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: No specific data.	
10.5 Incompatible materials	: Reactive or incompatible with the following materials: Strong oxidizers.	
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### **Acute toxicity**

There is no data available.

#### Irritation/Corrosion

There is no data available.

#### **Sensitisation**

There is no data available.

#### **Carcinogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

## **SECTION 11: Toxicological information**

#### There is no data available.

#### Aspiration hazard

There is no data available.

Information on the likely routes of exposure	1	Routes of entry anticipated: Oral, Dermal, Inhalation.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	÷	No known significant effects or critical hazards.
Skin contact	÷	No known significant effects or critical hazards.
Ingestion	÷	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Other information

: Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

There is no data available.

### 12.2 Persistence and degradability

There is no data available.



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

## **SECTION 12: Ecological information**

#### 12.3 Bioaccumulative potential

There is no data available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: There is no data available.
Mobility	: Not available.
12.5 Results of PBT and vPvB	assessment
PBT	: Not applicable.
vPvB	: Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	<ul> <li>Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.</li> </ul>
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

SECTION 14: Transport information				
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL 73/78 and the IBCCode

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

: All components are listed or exempted.

#### Europe inventory Seveso II Directive

This product is not controlled under the Seveso II Directive.

15.2 Chemical Safety	1	This product contains substances for which Chemical Safety Assessments are still
Assessment		required.

### **SECTION 16: Other information**

Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Lucas Synthetic SAE 75W-140 V-Twin Gear Oil

## **SECTION 16: Other information**

vPvB = Very Persistent and Very Bioaccumulative

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classific	cation	Justification
Not classified.		
Full text of abbreviated H statements	Not applicable.	,
Full text of classifications [CLP/GHS]	: Not applicable.	
Full text of abbreviated R phrases	: Not applicable.	
Full text of classifications [DSD/DPD]	: Not applicable.	
History		
Date of issue (dd/mm/yyyy)	: 15/07/2014	
Version	: 1	
Revised Section(s)	: Not applicable.	

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.